

# **Safety Data Sheet**

Issuing date : 07-Nov-2018 Revision date : - SDS #: TCW 1808 N - 01 GL EN Version: 01

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product Identifier

Product name Canon Cartridge 055 Black

Product Code(s) 3016C003

Use

Toner for electrophotographic machines

#### Details of the supplier of the safety data sheet

#### Supplier

Canon Australia Pty Ltd Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia Email : qse@canon.com.au Phone number : (61) 2-9805-2000 Emergency phone number : 13 11 26 (Within Australia)

Canon New Zealand Limited 28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand Email : qse@canon.com.au Phone number : 0800 222 666 (Within New Zealand) Emergency phone number : 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd. 1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522 Email : cspl\_msds@canon.com.sg Phone number : (65) 6799-8888

Canon India Pvt. Ltd. 7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India Phone number : (91) 124-416-0000 Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd 2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Canon Korea Business Solutions INC. 607 Teheran-ro, Gangnam-gu, Korea Email : webmaster@canon-bs.co.kr Phone number : (82) 1588-2500

#### Manufacturer

Canon Inc. 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Not classified

#### Label Elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Not required

Signal word Not required

#### **Hazard statements** Not required

**Precautionary statements** Not required

**Other Information** None

Other hazards which do not result in classification

None

## **SECTION 3: Composition/information on ingredients**

#### Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Styrene acrylate copolymer	CBI	CBI	75 - 85	None	
Wax	CBI	CBI	5 - 10	None	
Carbon black	1333-86-4	215-609-9	5 - 10	None	
Amorphous silica	7631-86-9	231-545-4	1 - 3	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

## **SECTION 4: First aid measures**

#### Description of first aid measures

Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.		
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.		
Skin Contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.		
Eye Contact	Flush with plenty of water. Get medical attention immediately if symptoms occur.		
Most important symptoms and effects, both acute and delayed			
Inhalation	None under normal use. Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.		
Ingestion	None under normal use.		
Skin Contact	None under normal use.		

Eye Contact	None under normal use. May cause slight irritation.
Chronic Effects	None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung damage.

#### Indication of any immediate medical attention and special treatment needed

None

## **SECTION 5: Firefighting measures**

#### Extinguishing media

**Suitable extinguishing media** Use CO<sub>2</sub>, water, dry chemical, or foam.

#### Unsuitable extinguishing media None

#### Special hazards arising from the substance or mixture

**Special Hazard** May form explosive mixtures with air.

#### Hazardous combustion products

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

#### Advice for firefighters

#### Special protective equipment for fire-fighters

None

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

#### Environmental Precautions

Keep out of waterways.

#### Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

#### Other Information

None

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

#### Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

#### Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

## **SECTION 8: Exposure controls/personal protection**

#### Control parameters

#### Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Carbon black 1333-86-4	None	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup> inhalable fraction
Amorphous silica 7631-86-9	None	TWA: 2 mg/m <sup>3</sup> respirable dust	TWA: 20 mppcf : (80)/(% SiO2) mg/m <sup>3</sup> TWA	None

Appropriate engineering controls None under normal use conditions.

# Individual protection measures, such as personal protective equipmentEye/face ProtectionNot required under normal use.Skin ProtectionNot required under normal use.Respiratory ProtectionNot required under normal use.Thermal hazardsNot Applicable

#### **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties

Appearance Odor **Odor threshold** pН Melting/Freezing point (°C) Boiling Point/Range (°C) Flash Point (°C) **Evaporation Rate** Flammability (solid, gas) Flammability Limits in Air **Upper Flammability Limit** Lower Flammability Limit Vapor pressure Vapor density **Relative densitv** Solubility(ies) Partition coefficient: n-octanol/water Autoignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa s) **Explosive properties Oxidizing properties** 

#### Other Information

No data available

Black ; powder Slight odor No data available Not Applicable 80 - 130 (Softening point) Not Applicable Not Applicable Not Applicable Not flammable; estimated

Not Applicable Not Applicable Not Applicable Not Applicable 1.0 - 1.2 Organic solvent; partly soluble Not Applicable No data available > 200 Not Applicable May form explosive mixtures with air No data available

## **SECTION 10: Stability and reactivity**

#### Reactivity

None

## Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

#### Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

#### Hazardous Decomposition Products

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

## **SECTION 11: Toxicological information**

#### Information on toxicological effects

Acute toxicityEstimate: LD50 > 2000 mg/kg (Ingestion)Skin corrosion/irritationEstimate: Non-irritantSerious eye damage/eye irritatioEstimate: Transient slight conjunctival irritation only.SensitizationEstimate: Non-sensitizingGerm cell mutagenicityAmes Test (S. typhimurium, E. coli): NegativeCarcinogenicityThe IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure. A minimal to mild degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amionust of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data availableOtter InformationNo data available	-		
Serious eye damage/eye irritationEstimate: Transient slight conjunctival irritation only.SensitizationEstimate: Non-sensitizingGerm cell mutagenicityAmes Test (S. typhimurium, E. coli): NegativeCarcinogenicityThe IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was noted in 22% of the animals at 4 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Acute toxicity	Estimate: LD50 > 2000 mg/kg (Ingestion)	
SensitizationEstimate: Non-sensitizingGerm cell mutagenicityAmes Test (S. typhimurium, E. coli): NegativeCarcinogenicityThe IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was observed in 92% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Skin corrosion/irritation	Estimate: Non-irritant	
Germ cell mutagenicityAmes Test (S. typhimurium, E. coli): NegativeCarcinogenicityThe IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimial to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Serious eye damage/eye irritation	Estimate: Transient slight conjunctival irritation only.	
CarcinogenicityThe IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Sensitization	Estimate: Non-sensitizing	
human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.Reproductive ToxicityNo data availableSTOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was observed in 92% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Germ cell mutagenicity	Ames Test (S. typhimurium, E. coli): Negative	
STOT - single exposureNo data availableSTOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Carcinogenicity	human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which	
STOT - repeated exposureMuhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	Reproductive Toxicity	No data available	
toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.Aspiration hazardNo data available	STOT - single exposure	No data available	
	STOT - repeated exposure	toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m <sup>3</sup> which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m <sup>3</sup> , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m <sup>3</sup> . These findings are attributed to "lung overloading", a generic response to excessive	
Other Information No data available	Aspiration hazard	No data available	
	Other Information	No data available	

## **SECTION 12: Ecological information**

#### Toxicity

#### **Ecotoxicity effects**

Estimate: Fish, 96h LC50 > 100 mg/l Estimate: Crustaceans, 48h EC50 > 100 mg/l Estimate: Algae, ErC50(0-72h) > 100 mg/l

#### Persistence and degradability

No data available

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

## SECTION 14: Transport information

<u>UN number</u>	None
UN Proper Shipping Name	None
Transport Hazard Class	None
Packing Group	None
Environmental Hazards	Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.
Special Precautions for users	IATA: Not regulated
Transport in bulk according to Annex II of MARPOL and the IBC Code	Not Applicable

## **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation (EC) No 1907/2006 Restriction	Not regulated Not regulated
(EC) No 1005/2009	Not regulated
(EC) No 850/2004	Not regulated
(EU) No 649/2012	Not regulated
Australia Information	Not classified as hazardous according to criteria of Work Health and Safety Regulations 2011.
Other Information	None

## **SECTION 16: Other information**

#### Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910

- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012

- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

#### Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative

- SVHC: Substances of Very High Concern

- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

- TWA: Time Weighted Average

- STEL: Short Term Exposure Limit

- IARC: International Agency for Research on Cancer

- IATA: International Air Transport Association

- CBI: Confidential Business Information

Issuing date :	07-Nov-2018

**Revision date :** 

Revision Note None

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.