

# **Safety Data Sheet**

SDS #: ICW 0535 R - 04 GL EN Issuing date: 15-Mar-2006 Revision date: 28-Jun-2019

Version: 09

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product Identifier** 

Canon Ink Tank PFI-102C **Product name** 

Product Code(s) 0896B

Use Ink for Ink Jet Printer

Details of the supplier of the safety data sheet

Supplier

Canon Australia Pty Ltd

Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia

Email: gse@canon.com.au Phone number: (61) 2-9805-2000

Emergency phone number: 13 11 26 (Within Australia)

Canon New Zealand Limited

28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand

Email: qse@canon.com.au

Phone number: 0800 222 666 (Within New Zealand)

Emergency phone number: 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.

1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522

Email: cspl\_msds@canon.com.sg Phone number: (65) 6799-8888

Canon India Pvt. Ltd.

7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India

Phone number: (91) 124-416-0000

Emergency phone number: (91) 124-416-0180

Canon (China) Co. Ltd

33F, China Life Financial Center, No.23 Zhenzhi Road, Chaoyang District, Beijing 100026, P.R.China

Canon Korea Business Solutions INC. 607 Teheran-ro, Gangnam-gu, Korea Email: webmaster@canon-bs.co.kr Phone number: (82) 1588-2500

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

# **SECTION 2: Hazards identification**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

GL EN Page 1/7 Issuing date: 15-Mar-2006 0896B Revision date: 28-Jun-2019 Canon Ink Tank PFI-102C

### **Hazard pictograms**

Not required

### Signal word Not required

### **Hazard statements**

Not required

### **Precautionary statements**

Not required

#### Other Information

Contains 1,2-benzisothiazol-3(2H)-one.

May produce an allergic reaction.

Contains less than 30% of components with unknown hazards to the aquatic environment.

### Other hazards which do not result in classification

None

# **SECTION 3: Composition/information on ingredients**

#### Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Urea compound	СВІ	CBI	5 - 10	Eye Irrit. 2 (H319) STOT RE 2 (thyroid gland) (H373)	
Glycol	CBI	CBI	5 - 10	None	
Substituted phthalocyanine salt	СВІ	CBI	5 - 10	Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	
Isopropyl alcohol	67-63-0	200-661-7	1 - 5	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	
Nitrate	CBI	CBI	1 - 5	None	
Water	7732-18-5	231-791-2	60 - 80	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

### **SECTION 4: First aid measures**

#### Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

**Skin Contact** Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

**Eye Contact** Flush with plenty of water. Get medical attention immediately if symptoms occur.

GL EN Page 2/7

Issuing date: 15-Mar-2006 0896B
Revision date: 28-Jun-2019 Canon Ink Tank PFI-102C

### Most important symptoms and effects, both acute and delayed

**Inhalation** None under normal use. Symptoms of overexposure are dizziness, headache, tiredness,

nausea, unconsciousness, cessation of breathing.

Ingestion None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

**Skin Contact** None under normal use.

**Eye Contact** None under normal use. May cause slight irritation.

**Chronic Effects** None under normal use.

Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

### Extinguishing media

#### Suitable extinguishing media

Use CO<sub>2</sub>, water, dry chemical, or foam.

### Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

#### **Special Hazard**

None

### **Hazardous combustion products**

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

#### Advice for firefighters

### Special protective equipment for fire-fighters

None

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

#### **Environmental Precautions**

Keep out of waterways.

# Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

### Other Information

None

# **SECTION 7: Handling and storage**

GL EN Page 3/7

Issuing date: 15-Mar-2006 0896B Revision date: 28-Jun-2019 Canon Ink Tank PFI-102C

### Precautions for safe handling

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

### Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

### Specific end uses

Ink for Ink Jet Printer. Obtain special instructions before use.

# **SECTION 8: Exposure controls/personal protection**

#### Control parameters

### **Exposure Limits**

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Isopropyl alcohol	None	TWA: 400 ppm	TWA: 400 ppm	TWA: 200 ppm
67-63-0		TWA: 983 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	STEL: 400 ppm
		STEL: 500 ppm	_	
		STEL: 1230 mg/m <sup>3</sup>		

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

**Eye/face Protection** Not required under normal use. **Skin Protection** Not required under normal use. **Respiratory Protection** Not required under normal use.

Thermal hazards Not Applicable

# **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

**Appearance** Cyan; Liquid Slight odor Odor No data available **Odor threshold** 

7 - 10 pН

Melting/Freezing point (°C) No data available **Boiling Point/Range (°C)** No data available

Flash Point (°C) 59.3 (Tag. Closed Cup. Combustion is not sustainable.)

**Evaporation Rate** No data available Flammability (solid, gas) Not Applicable

Flammability Limits in Air

**Upper Flammability Limit** No data available **Lower Flammability Limit** No data available Vapor pressure No data available Vapor density No data available

Relative density 1.0 - 1.1 Solubility(ies) Water; miscible Partition coefficient: n-octanol/water No data available No data available **Autoignition Temperature (°C) Decomposition Temperature (°C)** No data available

Viscosity (mPa s) 1 - 5

**Explosive properties** None: estimated **Oxidizing properties** None; estimated

GL EN Page 4/7 Issuing date: 15-Mar-2006
Revision date: 28-Jun-2019
Canon Ink Tank PFI-102C

### Other Information

No data available

# **SECTION 10: Stability and reactivity**

Reactivity

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

**Conditions to Avoid** 

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

**Hazardous Decomposition Products** 

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO), and/or Ammonia.

# **SECTION 11: Toxicological information**

### Information on toxicological effects

Acute toxicity No data available

**Skin corrosion/irritation** Mild irritant (Estimate) (OECD Guideline)

Serious eye damage/eye irritation Moderate irritant (Estimate) (OECD Guideline)

Sensitization Non-sensitizer (Estimate) (OECD Guideline)

Germ cell mutagenicity Ames test: Negative

Carcinogenicity The IARC evaluated ingested nitrate as a Group 2A carcinogen, for which there is

inadequate human evidence for nitrate in food or drinking-water and inadequate animal evidence for nitrate, but limited human evidence for nitrite in food, limited animal evidence for nitrite and sufficient animal evidence for nitrite in combination with amines or amides. A

part of ingested nitrate is changed to nitrite in the body.

However, no ingestion of nitrate is expected under intended use of this product.

Reproductive Toxicity No data available

STOT - single exposure No data available

STOT - repeated exposure No data available

Aspiration hazard No data available

GL EN Page 5/7

Issuing date: 15-Mar-2006
Revision date: 28-Jun-2019
Canon Ink Tank PFI-102C

#### Other Information

Ingested nitrate may cause effects on the blood, resulting in formation of methemoglobin. However, no ingestion of nitrate at a level which causes such adverse effects is expected under intended use of this product.

# **SECTION 12: Ecological information**

#### Toxicity

### **Ecotoxicity effects**

No data available

### Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

Dispose of in accordance with local regulations.

## **SECTION 14: Transport information**

UN number None

UN Proper Shipping Name None

<u>Transport Hazard Class</u> None

Packing Group None

Environmental Hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

<u>Special Precautions for users</u>

IATA: Not regulated

Transport in bulk according to Annex II of

MARPOL and the IBC Code

Not Applicable

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

GL EN Page 6/7

Issuing date: 15-Mar-2006 0896B
Revision date: 28-Jun-2019 Canon Ink Tank PFI-102C

(EC) No 1907/2006 Authorisation
(EC) No 1907/2006 Restriction
(EC) No 1005/2009
(EC) No 850/2004
(EU) No 649/2012

Not regulated
Not regulated
Not regulated
Not regulated

Australia Information Not classified as hazardous according to criteria of Work Health and Safety Regulations

2011.

Other Information None

# **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

### Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

### Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 15-Mar-2006

Revision date: 28-Jun-2019

Revision Note SECTION 3 and 16 revised

# Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

\_\_\_\_

GL EN Page 7/7