

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name Canon imagePRESS C10000VP Starter Black
Product code(s) 8534B001
Use Toner for electrophotographic machines

Details of the supplier of the safety data sheet**Supplier**

Canon Australia Pty Ltd
Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia
Email : qse@canon.com.au
Phone number : (61) 2-9805-2000
Emergency phone number : 13 11 26 (Within Australia)

Canon New Zealand Limited
28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand
Email : qse@canon.com.au
Phone number : 0800 222 666 (Within New Zealand)
Emergency phone number : 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.
1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522
Email : cspl_msds@canon.com.sg
Phone number : (65) 6799-8888

Canon India Pvt. Ltd.
7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India
Phone number : (91) 124-416-0000
Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd
33F, China Life Financial Center, No.23 Zhenzhi Road, Chaoyang District, Beijing 100026, P.R.China

Canon Korea Business Solutions INC.
607 Teheran-ro, Gangnam-gu, Korea
Email : webmaster@canon-bs.co.kr
Phone number : (82) 1588-2500

Manufacturer

Canon Inc.
30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification**Classification of the substance or mixture****GHS Classification**

Not classified

Label elements**Labelling according to GHS**

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other information

None

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Mixtures

Chemical name	CAS-No	EC-No	Weight %	GHS Classification	Note to other hazards
Ferrite including manganese	66402-68-4	266-340-9	85 - 95 (as Mn:10-20)	None	(1)
Polyester resin	CBI	CBI	5 - 10	None	
Carbon black	1333-86-4	215-609-9	< 1	None	(1)

Full texts of Hazard statement(s) are listed in SECTION 16

Note to other hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

Description of first aid measures

Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.
Eye contact	Flush with plenty of water. Get medical attention immediately if symptoms occur.

Most important symptoms and effects, both acute and delayed

Inhalation	None under normal use. Inhalation of excessive amounts of manganese powder may cause cough, shortness of breath or pneumonitis.
Ingestion	None under normal use.
Skin contact	None under normal use.
Eye contact	None under normal use. May cause slight irritation.

Chronic effects None under normal use. Prolonged inhalation of excessive amounts of manganese powder may cause lung damage and nervous system effects.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media
Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media
None

Special hazards arising from the substance or mixture

Special hazard
May form explosive mixtures with air.

Hazardous combustion products
Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for firefighters
None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

Environmental precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

Other information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Ferrite including manganese 66402-68-4	Manganese and inorganic manganese compounds (as Mn): TWA 0.2mg/m ³ Inhalable fraction	None	Ceiling: 5 mg/m ³ Mn	TWA: 0.1 mg/m ³ Mn inhalable fraction
Carbon black 1333-86-4	None	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³ inhalable fraction

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

- Eye/face protection** Not required under normal use.
- Skin protection** Not required under normal use.
- Respiratory protection** Not required under normal use.
- Thermal hazards** Not applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Grayish ; powder
Odor	Slight odor
Odor threshold	No data available
pH	Not applicable
Melting/freezing point (°C)	85 - 120 (Softening point)
Boiling point/range (°C)	Not applicable
Flash point (°C)	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not flammable; estimated
Flammability limits in air	
Upper flammability limit	Not applicable
Lower flammability limit	Not applicable
Vapor pressure	Not applicable
Vapor density	Not applicable
Relative density	3.0 - 5.0
Solubility(ies)	Organic solvent; partly soluble
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature (°C)	No data available
Decomposition temperature (°C)	> 200
Viscosity (mPa s)	Not applicable
Explosive properties	May form explosive mixtures with air
Oxidizing properties	No data available

Other information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of hazardous reactions

None

Conditions to avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous decomposition products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity	Estimate: LD50 > 2000 mg/kg (Ingestion)
Skin corrosion/irritation	Estimate: Mild irritant
Serious eye damage/eye irritation	Estimate: Transient slight conjunctival irritation only.
Sensitization	Estimate: Non-sensitizing
Germ cell mutagenicity	Estimate: Ames Test (S. typhimurium, E. coli): Negative
Carcinogenicity	The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.
Reproductive toxicity	Manganese and its inorganic compounds: There is a study showing that prolonged inhalation of excessive amounts of manganese powder may cause adverse effects on the fertility of male workers. However, normal use and handling of this product, as intended, does not result in inhalation of excessive amounts of manganese powder.
STOT - single exposure	No data available
STOT - repeated exposure	Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other information No data available

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects

Estimate: Fish, 96h LC50 > 100 mg/l
Estimate: Crustaceans, 48h EC50 > 100 mg/l
Estimate: Algae, ErC50(0-72h) > 100 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

UN number None

UN proper shipping name None

Transport hazard class None

Packing group None

Environmental hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

Special precautions for users IATA: Not regulated

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Other information Not classified as dangerous goods according to ADG.

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation	Not regulated
(EC) No 1907/2006 Restriction	Not regulated
(EC) No 1005/2009	Not regulated
(EU) 2019/1021	Not regulated
(EU) No 649/2012	Not regulated
Australia Information	Not classified as hazardous according to criteria of Work Health and Safety Regulations 2011.
Other information	None

SECTION 16: Other information

GHS classification and labelling stated in SECTION 2 and 3 is according to EU Regulation (EC) No 1272/2008 and Australian Model Work Health and Safety Regulations 2011

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EU) 2019/1021, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011
- Australian Code for the Transport of Dangerous Goods by Road & Rail

Key or legend to abbreviations and acronyms used in the safety data sheet

- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, (EU) 2017/2398 and (EU) 2019/983, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ADG: Australian Dangerous Goods
- CBI: Confidential Business Information

Issuing date : 16-Jul-2015

Revision date : 16-Jun-2020

Revision note SECTION 12 revised

Issuing date : 16-Jul-2015
Revision date : 16-Jun-2020

8534B001
Canon imagePRESS C1000VP Starter Black

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.