

MATERIAL SAFETY DATA SHEET

SECTION 1	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING						
Product Name:	Canon Color BJ Cartridge BC-05						
Product Code:	0885A / F45-0891						
Manufacturer:	Canon Inc	:.					,
	30-2. Shin	nomaruk	o 3-Chome, O	hta-ku, Tokyo 14	46-8501. Japan		•
Supplier:					, I		
~~	Canon Singapore Pte Ltd 1 HarbourFront Avenue, #04-01,Keppel Bay Tower, Singapore 098632						
	cspl_msds			copper buy 10	er, bingapore of	0032	
Use of the Product:	Ink for Ink		-				
	COMPOSITION/INFORMATION ON INGREDIENTS						
SECTION 2	COMPOSE	TION/IN	FORMATION	ON INGREDIE	NIS		
< Ingredient(s) > Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust	(as mist) TWA = 10 mg/m^3	Not established	Not established
	200-289-5			$TWA = 15 mg/m^3$ Respirable fraction	1 wA = 10 mg/m		
				$TWA = 5 mg/m^3$			
Thiodiglycol	111-48-8 / 203-874-3	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
	205-074-5						
Copper, [29H,31H-phthalocyaninato(2-)-N 29,N30,N31,N32]-, aminosulfonyl sulfo derivs.,	90295-11-7 / 291-001-7	2 - 6	Xi / R36	Not established	Not established	Not established	Copper and its compounds
sodium salts (Contained only in cyan ink)							Inhalable fraction 1.0 mg/m ³
							-
Isopropyl alcohol	67-63-0 /	1 - 3	F/ R11	TWA = 400 ppm,	TWA = 200 ppm,	Not established	200 ppm,
(Contained only in magenta ink)	200-661-7		Xi / R36 R67	980 mg/m ³	492 mg/m^3 STEL = 400 ppm,		500 mg/m ³
magenta mk)			K07		984 mg/m ³		
Poly(oxy-1,2-ethanediyl),.alpha.,. alpha.'-	9014-85-1 / Not applicable	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
[1,4-dimethyl-1,4-bis(2-methylpro pyl)-	Not applicable						
2-butyne-1,4-diyl]bis [.omegahydroxy-							
C. I. Direct Violet 107 - The substance name in	Not registered / 413-180-4	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
accordance with 67/547/EEC is stated in SECTION 16 (Contained only in magenta ink)							
(Contained only in magenta ink)							
	N						
C.I. Direct Yellow 173 (Contained only in	Not registered / 414-410-6	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
yellow ink)							
	100 71 6 /				TTTTTTTTTTTTT	NT / / 11 1 1	N
Triethanolamine (Contained in magenta	102-71-6 / 203-049-8	< 3	None / None	Not established	$TWA = 5 mg/m^3$	Not established	Not established
and yellow ink)							
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Animonia derivative	Connuentiai	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 /	60 - 80	None / None	Not established	Not established	Not established	Not established
	231-79-12						
		1					

I

Revised: September 9, 2003



< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

A set of three colors ink cartridges. (Cyan, Magenta and Yellow) All the ink is liquid mixture with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

All colors : May cause minimal irritation. (See SECTION 11)

Skin:

Cyan and Yellow : May cause mild irritation and no sensitization. Magenta : Neither irritation nor sensitization is expected.

(See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure: Not identified

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

 CO_2 , water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

 CO, CO_2 , NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation. Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight. Keep away from heat and flame. Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Not established for this ink. (See also SECTION 2)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	Required
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required



SECTION 9

MATERIAL SAFETY DATA SHEET

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Cyan, magenta and yellow liquid **Odor:** Slight odor pH: 7.0 - 10.7 **Boiling Point/Range(°C):** Not available Melting Point/Range(°C): Not available **Decomposition Temperature(°C):** Not available Flash Point(°C): Magenta : 56.1 (Tag.Closed Cup. Combustion is not sustainable.) Cyan and Yellow : Estimate None Flammable (Explosive) Limits: Not available Autoignition Temperature(°C): Magenta: 470 (ASTM-E659) Cyan and Yellow : Not available Magenta : Classified as "Combustible liquid" under OSHA-HCS. Flammability: Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC. Cyan and Yellow : Neither flammable nor combustible. **Explosive Properties:** None **Oxidizing Properties:** None Vapor Pressure : Not available Vapor Density : Not available **Density / Specific Gravity:** 1.04 - 1.10 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available **Percent Volatile (%):** 60 - 80 **Evaporation Rate:** Not available Viscosity (mPa s): 1.6 - 2.6 **SECTION 10** STABILITY AND REACTIVITY **Stability:** Stable Unstable **Conditions to Avoid:** None Materials to Avoid: Acids, bases, oxidizing materials and reducing agents **Hazardous Decomposition Products:** CO, CO₂, NOx, Ammonia and SOx **Hazardous Polymerization:** May Occur Will Not Occur **Conditions to Avoid:** None



SECTION 11 TOXICOLOGICAL INFORMATION
Acute Toxicity:
Inhalation:
Not available
Ingestion:
Yellow : Estimated $LD_{50} > 5000 \text{ mg/kg}$, 0/3 mortalities at 2000 mg/kg (rat)
OECD Guidelines No.423 (1996)
96/54/EC Method B1 tris
Cyan and Magenta : Not available
Eye:
Cyan : Minimal irritant, Maximum Group Mean Score = 8.0 - 10.0, Class 3 (rabbit)
Magenta : Minimal irritant, Maximum Group Mean Score = 2.7, Class 3 (rabbit)
Yellow : Minimal irritant, Maximum Group Mean Score = 4.7, Class 3 (rabbit)
OECD Guidelines No.405 (1987)
92/69/EEC Method B5
Skin:
Cyan : Mild irritant, Primary Irritation Index = 0.3 (rabbit)
Magenta : Non irritant, Primary Irritation Index = 0.0 (rabbit)
Yellow : Mild irritant, Primary Irritation Index = 0.5 (rabbit)
OECD Guidelines No.404 (1992)
92/69/EEC Method B4
Sensitization:
All colors : Non sensitizer, Sensitization rate = $0 \% (0/10)$ (guinea pig)
OECD Guidelines No.406 (1992)
96/54/EC Method B6
Mutagenicity:
Ames test
Cyan : Negative (test strains: S.typhimurium)
Magenta and Yellow : Negative (test strains: S.typhimurium & E.Coli)
Reproductive Toxicity:
Not available
Carcinogenicity:
Not available
Others:
Not available



MATERIAL SAFETY DATA SHEET

SECTION 12 E	COLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effect	ts: Not available
SECTION 13 D	ISPOSAL CONSIDERATION
Method of Disposal:	
Disposal should b	be subject to federal, state and local laws.
SECTION 14 T	RANSPORT INFORMATION
UN #:	None
UN Shipping Name:	None
UN Classification:	None
UN Packing Group:	None
Marine Pollutant:	 ☐ Yes Chemical name (wt%): ☑ No
Special Precautions:	None
SECTION 15 R	EGULATORY INFORMATION
<pre><eu information=""></eu></pre>	EGULATORY INFORMATION
Information on the La	abel:
Symbol & Indicat	tion: Not required
R-Phrase:	
Not required	
S-Phrase:	
Not required	
Dangerous Comp None	oonent(s):
Special Precaution	ons under 1999/45/EC Annex V:
Not required	
Specific Provisions in	Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000:	Not regulated
(EC)304/2003:	Not regulated
Others:	None



< USA Information >

Information on the Label under FI	ISA:	
Signal Word: Not required		
Hazard warning: Not required		
Safety Advice: Not required		
Hazardous Component(s): None		
SARA Title III §313:		
Chemical Name	Weight %	
"Copper Compounds" (Contained only in cyan ink)		2 - 6
(as Cu)	(< 0.35)	
California Proposition 65:		
Chemical Name	Weight %	
None		
< Canada Information >		
WHMIS Controlled Product:	Not applicable (Manufactured article)	
< Australia Information >		
Statement of Hazardous Nature:	Not classified as hazardous according to cri	teria of NOHSC.
SECTION 16 OTHER INFORM	IATION	
triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-	ylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-h 1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo] roxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-	-isophthalate; ammonium

5-[8-[4-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl] -2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin n-2-ylamino]-1-hydroxy-3,6-disulfonaphthalen-2-ylazo]-isophthalic acid"

<R phrase list> R11 : Highly flammable. R36 : Irritating to eyes. R41 : Risk of serious damage to eyes. R67 : Vapours may cause drowsiness and dizziness.

<Revised information from the previous version> Entirely revised.



Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
- Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.