

Issuing date : 21-Nov-2014
Revision date : 28-Jul-2016

SDS #: ICW 0278 R - 02 GL EN
Version : 02

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product Identifier**

Product name Canon Ink Tank PFI-8707C
Product Code(s) 9827B
Use Ink for Ink Jet Printer

Details of the supplier of the safety data sheet**Supplier**

Canon Singapore Pte. Ltd.
1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522
Email : cspl_msds@canon.com.sg
Phone number : (65) 6799-8888

Canon India Pvt. Ltd.
7th Floor, Tower B, DLF Epite, DLF Phase-3, Gurgaon-122002 Haryana, India
Phone number : (91) 124-416-0000
Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd
2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Canon Korea Business Solutions INC.
607 Teheran-ro, Gangnam-gu, Korea
Email : webmaster@canon-bs.co.kr
Phone number : (82) 1588-2500

Manufacturer

Canon Inc.
30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification**Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008
Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms
Not required

Signal word
Not required

Hazard statements
Not required

Precautionary statements
Not required

Other Information

Contains 1,2-benzisothiazol-3(2H)-one.
May produce an allergic reaction.
Contains less than 30% of components with unknown hazards to the aquatic environment.

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Mixtures

| Chemical name | CAS-No | EC-No | Weight % | Classification (Reg. 1272/2008) | Note to Other Hazards |
|---------------------------------|------------|-----------|----------|--|-----------------------|
| Ethylene urea | 120-93-4 | 204-436-4 | 5 - 10 | Eye Irrit. 2 (H319) | |
| Substituted phthalocyanine salt | CBI | CBI | 5 - 10 | Eye Dam. 1 (H318) Aquatic Chronic 3 (H412) | |
| Isopropyl alcohol | 67-63-0 | 200-661-7 | 1 - 5 | Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319) | |
| Magnesium nitrate | 10377-60-3 | 233-826-7 | 1 - 5 | None | |
| Glycol | CBI | CBI | 5 - 10 | None | |
| Water | 7732-18-5 | 231-791-2 | 60 - 80 | None | |

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

Description of first aid measures

| | |
|---------------------|--|
| Inhalation | Move to fresh air. Get medical attention immediately if symptoms occur. |
| Ingestion | Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur. |
| Skin Contact | Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur. |
| Eye Contact | Flush with plenty of water. Get medical attention immediately if symptoms occur. |

Most important symptoms and effects, both acute and delayed

| | |
|------------------------|--|
| Inhalation | None under normal use. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. |
| Ingestion | None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| Skin Contact | None under normal use. |
| Eye Contact | None under normal use. May cause slight irritation. |
| Chronic Effects | None under normal use. |

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use CO₂, dry chemical, or foam, Water.

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special Hazard

None

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

Specific end uses

Ink for Ink Jet Printer. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | EU OEL | Australia OEL | OSHA PEL | ACGIH TLV |
|------------------------------|--------|---|--|-------------------------------|
| Isopropyl alcohol 67-63-0 | None | TWA: 400 ppm TWA: 983 mg/m ³ STEL: 500 ppm STEL: 1230 mg/m ³ | TWA: 400 ppm TWA: 980 mg/m ³ | TWA: 200 ppm STEL: 400 ppm |

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

| | |
|-------------------------------|--------------------------------|
| Eye/face Protection | Not required under normal use. |
| Skin Protection | Not required under normal use. |
| Respiratory Protection | Not required under normal use. |
| Thermal hazards | Not Applicable |

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| | |
|---|--|
| Appearance | Cyan ; Liquid |
| Odor | Slight odor |
| Odor threshold | No data available |
| pH | 7 - 10 |
| Melting/Freezing point (°C) | No data available |
| Boiling Point/Range (°C) | No data available |
| Flash Point (°C) | 59.3 (Tag. Closed Cup. Combustion is not sustainable.) |
| Evaporation Rate | No data available |
| Flammability (solid, gas) | Not Applicable |
| Flammability Limits in Air | |
| Upper Flammability Limit | No data available |
| Lower Flammability Limit | No data available |
| Vapor pressure | No data available |
| Vapor density | No data available |
| Relative density | 1.0 - 1.1 |
| Solubility(ies) | Water; miscible |
| Partition coefficient: n-octanol/water | No data available |
| Autoignition Temperature (°C) | No data available |
| Decomposition Temperature (°C) | No data available |
| Viscosity (mPa s) | 1 - 5 |
| Explosive properties | None; estimated |
| Oxidizing properties | None; estimated |

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO), and/or Ammonia.

SECTION 11: Toxicological information

Information on toxicological effects

| | |
|--|--|
| Acute toxicity | No data available |
| Skin corrosion/irritation | Mild irritant (Estimate) (OECD Guideline) |
| Serious eye damage/eye irritation | Moderate irritant (Estimate) (OECD Guideline) |
| Sensitization | Non-sensitizer (Estimate) (OECD Guideline) |
| Germ cell mutagenicity | Ames test: Negative |
| Carcinogenicity | The IARC evaluated ingested nitrate as a Group 2A carcinogen, for which there is inadequate human evidence for nitrate in food or drinking-water and inadequate animal evidence for nitrate, but limited human evidence for nitrite in food, limited animal evidence for nitrite and sufficient animal evidence for nitrite in combination with amines or amides. A part of ingested nitrate is changed to nitrite in the body. However, no ingestion of nitrate is expected under intended use of this product. |
| Reproductive Toxicity | No data available |
| STOT - single exposure | No data available |
| STOT - repeated exposure | No data available |
| Aspiration hazard | No data available |
| Other Information | Ingested nitrate may cause effects on the blood, resulting in formation of methemoglobin. However, no ingestion of nitrate at a level which causes such adverse effects is expected under intended use of this product. |

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects
No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Dispose of in accordance with local regulations.

SECTION 14: Transport information

| | |
|--|--|
| <u>UN number</u> | None |
| <u>UN Proper Shipping Name</u> | None |
| <u>Transport Hazard Class</u> | None |
| <u>Packing Group</u> | None |
| <u>Environmental Hazards</u> | No special environmental precautions required. |
| <u>Special Precautions for users</u> | None |
| <u>Transport in bulk according to Annex II of MARPOL and the IBC Code</u> | Not Applicable |

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

| | |
|--|---|
| (EC) No 1907/2006 Authorisation | Not regulated |
| (EC) No 1907/2006 Restriction | Not regulated |
| (EC) No 1005/2009 | Not regulated |
| (EC) No 850/2004 | Not regulated |
| (EU) No 649/2012 | Not regulated |
| Australia Information | Not classified as hazardous according to criteria of Work Health and Safety Regulations 2011. |
| Other Information | None |

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H412 - Harmful to aquatic life with long lasting effects

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- IARC: International Agency for Research on Cancer
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- CBI: Confidential Business Information

Issuing date : 21-Nov-2014
Revision date : 28-Jul-2016
Revision Note Entirely revised

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.