4456A

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1031-0202

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Bottle BCI-1101M

Product Code: 4456A

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

**Supplier:** Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

 $cspl\_msds@canon.com.sg$ 

Use of the Product: Ink for Ink Jet Printer

# SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 2	COMPOSITION/INFORMATION ON INGREDIENTS							
< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK	
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established	
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100mg/m³	TWA = 20 ppm, 52 mg/m <sup>3</sup> STEL = 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m <sup>3</sup>	
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>	
1-Benzoylamino-7-(p-m ethyl-o-sulfophenylazo)- naphthalene-3,6-disulfon ate = trisodium salt	403-670-6	1 - 5	None / R52/53	Not established	Not established	Not established	Not established	
Quinoline derivative	Confidential	1 - 5	Xi / R36	Not established	Not established	Not established	Not established	
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established	
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established	

Page 2 of 8 IC1031-0202



# MATERIAL SAFETY DATA SHEET

MSDS #: \_\_\_\_\_ Product Code:

4456A

# < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing magenta liquid ink with slight odor.

Combustible liquid and vapor.

Vapor or mist may cause respiratory tract, skin and eye irritation.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eve:

May cause minimal irritation. (See SECTION 11)

#### Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

# **Chronic Effects:**

Not identified

# Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

## SECTION 4 FIRST AID MEASURES

# First Aid Measures:

# Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### Ingestion

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

## Note to Physicians:

None

Page 3 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1031-0202
Product Code: 4456A

SECTION 5 FIRE FIG	GHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO <sub>2</sub> , water, foam or dr						
Unsuitable Extinguishin None	g Media:					
Special Fire Fighting Pro None	ocedures:					
Unusual Fire and Explos None	sion Hazards:					
Fire and Explosive Propertic	es (See also Section 9):					
	Hazardous Combustion Products:					
CO, CO <sub>2</sub> , NOx and SOx						
Other Properties:						
None						
SECTION 6 ACCIDE	ENTAL RELEASE MEASURES					
Personal Precautions:						
Avoid contact with skin, e	ves and clothing.					
Avoid breathing vapor and						
Environmental Precautions:						
Do not release to sewer, si	urface water or ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth or	paper.					
SECTION 7 HANDLE	ING AND STORAGE					
	IN MID STORIGE					
Handling: Avoid breathing vapor and	1 mist					
Use with adequate ventilat						
	yes and clothing. In case of contact, wash out the contaminated area immediately.					
Storage:						
Keep in a cool and dry place	ce.					
	Protect from sunlight.					
Keep away from heat and to	lame.					
<b>Specific Uses:</b> Ink for Ink Jet Printer.						
	ase refer to the instruction of this product.					
	-					
	JRE CONTROLS / PERSONAL PROTECTION					
<b>Exposure Guidelines:</b>	1 (C 1 CECTION 2)					
Not established for this in	k. (See also SECTION 2)					
<b>Engineering Controls:</b> Use adequate ventilation.						
Personal Protection Equipm Respiratory Protection:						
Acspiratory 1 rotection.	Not Required   Not Required					
Eye/Face Protection:	Required					
•	Not Required   Not Required					
Skin Protection:	Required					
	Not Required					

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1031-0202
Product Code: 4456A

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Magenta liquid				
Odor:	Slight odor				
pH:	7 - 9				
<b>Boiling Point/Range(°C):</b>	Not available				
Melting Point/Range(°C):	Not available				
<b>Decomposition Temperature</b> ( ${}^{\circ}C$ ):	Not available				
Flash Point(°C):	53.5 (Tag. Closed Cup. Combustion is not sustainable.)				
Flammable (Explosive) Limits:	Not available				
Autoignition Temperature(°C):	Not available				
Flammability:	Classified as "combustible liquid" under OSHA-HCS.  Not classified as "flammable" or "combustible" under FHSA.  Not classified as "flammable" under 1999/45/EC.				
<b>Explosive Properties:</b>	Estimate: None				
Oxidizing Properties:	Estimate: None				
Vapor Pressure :	Not available				
Vapor Density:	Not available				
<b>Density / Specific Gravity:</b>	1.0 - 1.1				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octanol/Water)	: Not available				
Percent Volatile (%):	60 - 80				
<b>Evaporation Rate:</b>	Not available				
Viscosity (mPa s):	1-5				
SECTION 10 STABILITY AND R	FACTIVITY				
Stability:					
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
<b>Hazardous Decomposition Products:</b>	CO, CO,, NOx, SOx and Ammonia				
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur				
Conditions to Avoid:	None				

Page 5 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1031-0202

Product Code:

4456A

# SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

 $LD_{50} > 2000 \text{ mg/kg (rat)}$ 

OECD Guidelines No.401 (1987), 92/69/EEC Method B1

Eye:

Minimal irritant (rabbit)

OECD Guidelines No.405 (1987), 92/69/EEC Method B5

Skin:

Mild irritant (rabbit)

OECD Guidelines No.404 (1992), 92/69/EEC Method B4

**Sensitization:** 

Non-sensitizer (guinea pig)

OECD Guidelines No.406 (1992), 96/54/EC Method B6

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

# Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1031-0202
Product Code: 4456A

SECTION 12	ECOLOGICAL INFORMATION						
<b>Mobility:</b>	Not available						
Persistence / Degradability:	Not available						
Bioaccumulation:	Not available						
Ecotoxicity:	1-Benzoylamino-7-(p-methyl-o-sulfophenylazo)-naphthalene-3,6-disulfonate = trisodium salt (92408-46-3): Fish, Acute Toxicity Test: 96 hours LC <sub>50</sub> > 1000 mg/l ( <i>Cyprinus carpio</i> ) OECD Guidelines No.203 (1984), 84/449/EEC Method C1 Daphnia sp. , Acute Immobilization Test and Reproduction Test: 24 hours NOEC 1000 mg/l ( <i>Daphnia magna</i> ) OECD Guidelines No.202 (1984), 84/449/EEC Method C2 Alga, Growth Inhibition Test: The color of this substance inhibited cell growth. ( <i>Scenedesmus subspicatus</i> ) Indirect exposure; 0-72 Hours EbC <sub>50</sub> 40mg/l , 0-72 Hours ErC <sub>50</sub> 25 mg/l Direct exposure; 0-72 Hours EbC <sub>50</sub> 103mg/l , 0-72 Hours ErC <sub>50</sub> 73 mg/l OECD Guidelines No.201 (1984), 92/69/EEC Method C3, ISO 8692 (1989)						
	NOEC: No Observed Effect Concentration						
Other Adverse Effe	Not available Not available						
Method of Disposal	DISPOSAL CONSIDERATIONS : the subject to federal, state and local laws.						
SECTION 14	TRANSPORT INFORMATION						
UN #:	None						
<b>UN Shipping Name</b> :	None						
<b>UN Classification:</b>	None						
UN Packing Group:	None						
Marine Pollutant:	☐ Yes Chemical name (wt%):  ☑ No						
<b>Special Precautions</b>	None						
SECTION 15 I	REGULATORY INFORMATION						
< EU Information >							
Information on the	Label:						
Symbol & Indicate	ation: Not required						
<b>R-Phrase:</b> Not required							
S-Phrase: Not required							
Not required	ponent(s):						
-	ons under 1999/45/EC Annex V:						
<del></del>	eet available for professional user on request.						
-	n Relation to Protection of Man or the Environment:						
76/769/EEC:	Not regulated						
(EC)2037/2000:	Not regulated						
(EC)304/2003:	Not regulated						
Others:	None						

Page 7 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1031-0202
Product Code: 4456A

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

**Hazard warning:** 

CONBUSTIBLE LIQUID AND VAPOR.

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT, SKIN AND EYE IRRITATION.

Safety Advice:

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

# SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Section 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13 and 15



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1031-0202 Product Code: 4456A

Page 8 of 8

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### **Abbreviations:**

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.