Page 1 of 7



# MATERIAL SAFETY DATA SHEET

MSDS #: TC1321-0202 Product Code: 9287A / R84-6205

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Canon Toner Cartridge 301 Black (for Laser Beam Printer) **Product Name:** 

**Product Code:** 9287A / R84-6205

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl\_msds@canon.com.sg

**Use of the Product:** Toner for electrophotographic apparatus

<b>SECTION 2</b>	COMPOSITION/INFORMATION ON INGREDIENTS								
< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK		
Styrene acrylate copolymer	Confidential	75-85	None/ None	Not established	Not established	Not established	Not established		
Wax Carbon black	Confidential 1333-86-4/ 215-609-9	5-15 1-8	None/ None None/ None	Not established 3.5 mg/m³ (TWA)	Not established 3.5 mg/m³ (TWA)	Not established Not established	Not established Not established		

< Carcinogen >

CAS# **Chemical Name** Reference

Carbon Black (1-8%) 1333-86-4 IARC: Group 2B. NTP; OSHA; Annex I to

67/548/EEC: Not listed.

#### **SECTION 3** HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

# **Emergency Overview:**

Black fine powder, slight plastic odor.

# **Potential Health Effects and Symptoms:**

# **Inhalation:**

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

#### **Ingestion:**

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

May cause transient slight irritation.

#### Skin:

May be non-irritant.

#### **Chronic Effects:**

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

# Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

Date of Issue: Revised: July 21, 2005 May 31, 2006

Page 2 of 7



#### MATERIAL SAFETY DATA SHEET

MSDS #: TC1321-0202 Product Code: 9287A / R84-6205

# SECTION 4 FIRST AID MEASURES

#### **First Aid Measures:**

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

#### Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

#### Note to Physicians:

None

# SECTION 5 FIRE FIGHTING MEASURES

# **Fire Fighting Measures:**

# **Extinguishing Media:**

CO2, water, dry chemicals

#### **Unsuitable Extinguishing Media:**

None

#### **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

Can form explosive dust-air mixtures when finely dispersed in air.

#### Fire and Explosive Properties (See also Section 9):

#### **Hazardous Combustion Products:**

CO2, CO

## **Other Properties:**

Not available

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

## **Personal Precautions:**

Avoid breathing dust.

# **Environmental Precautions:**

Do not wash away into sewer.

#### **Method for Cleaning Up:**

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

# SECTION 7 HANDLING AND STORAGE

# Handling:

Avoid breathing dust.

Use with adequate ventilation.

#### Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

# **Specific Uses:**

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 7



# MATERIAL SAFETY DATA SHEET

MSDS #: TC1321-0202 Product Code: 9287A / R84-6205

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure Guidelines:** USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) 10 mg/m<sup>3</sup> (Inhalable fraction), 3 mg/m<sup>3</sup> (Respirable fraction) ACGIH TLV (TWA): DFG (MAK): 4 mg/m<sup>3</sup> (Inhalable fraction), 1.5 mg/m<sup>3</sup> (Respirable fraction) (Also refer to SECTION 2) **Engineering Controls:** Use adequate ventilation. **Personal Protection Equipment(s): Respiratory Protection:** Required ■ Not Required ☐ Required **Eye/Face Protection: ☒** Not Required **Skin Protection:** ☐ Required **☒** Not Required **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES Black fine powder Appearance: Odor: Slight plastic odor pH: Not applicable **Boiling Point/Range(°C):** Not applicable **Melting Point/Range(°C):** 100-150 (Softening point) **Decomposition Temperature**( ${}^{\circ}C$ ): > 200 Flash Point(°C): Not applicable Flammable (Explosive) Limits: Not applicable **Autoignition Temperature(°C):** Not available Flammability: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids)) **Explosive Properties:** Can form explosive dust-air mixtures when finely dispersed in air. **Oxidizing Properties:** Not available Not applicable **Vapor Pressure: Vapor Density:** Not applicable **Density / Specific Gravity:** 1.0 - 1.2Water Solubility: Negligible **Fat Solubility:** Partially soluble in toluene and xylene. Partition Coefficient (n-Octanol/Water): Not applicable **Percent Volatile:** Negligible **Evaporation Rate:** Not applicable Viscosity (mPa s): Not applicable

Page 4 of 7



# MATERIAL SAFETY DATA SHEET

MSDS #: TC1321-0202 Product Code: 9287A / R84-6205

SECTION 10 S	TABILITY AND	REACTIVITY				
Stability:		Stable     Unstable     Unstable				
Conditions to Avoid:		None				
Materials to Avoid:		Strong oxidizers				
<b>Hazardous Decomposition Products:</b>		CO, CO2				
Hazardous Polymerization:		☐ May Occur  ☑ Will Not Occur				
Conditions to Avoid:		None				
SECTION 11 T	OXICOLOGICA	AL INFORMATION				
Acute Toxicity: Inhalation: Not available						
<b>Ingestion:</b> Estimate: Rat,	LD50 > 2000 mg/	kg (See Section 16)				
Eye:						
Estimate: Rabl	bit, transient slight	conjunctival irritation only. (See Section 16)				
Skin: Estimate: Rab	bit, non-irritant (Se	ee Section 16)				
Sensitization: Estimate: Guir	nea pig, skin: Non-	sensitizing (See Section 16)				
Mutagenicity: Ames Test (S.	typhimurium, E. c	oli): Negative				
Reproductive Toxici Not available	ty:					
G :						

# Carcinogenicity:

The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.

#### Others:

#### Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: TC1321-0202 Product Code: 9287A / R84-6205

Page 5 of 7

SECTION 12 E	COLOG	ICAL INFORMATION					
		Not available					
Persistence / Degradability: Bioaccumulation:		Not available Not available					
							Ecotoxicity:
Other Adverse Effects:		Not available					
SECTION 13 D	DISPOSA	L CONSIDERATIONS					
container, unless of	er or toner dust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner sion preventing measures are taken. Finely dispersed particles form explosive mixtures abject to federal, state and local laws.					
SECTION 14	TRANSPO	ORT INFORMATION					
UN #:	None						
<b>UN Shipping Name:</b>	None						
UN Classification:	None						
<b>UN Packing Group:</b>	None						
Marine Pollutant:	☐ Yes ☒ No	Chemical name (wt%):					
<b>Special Precautions:</b>	None None						
SECTION 15	REGULA	TORY INFORMATION					
< EU Information >							
Information on the	Label:						
Symbol & Indica	ation: No	ot required					
R-Phrase: Not required							
S-Phrase: Not required							
Dangerous Com Not required	ponent(s)	):					
Special Precaution Not required	ons unde	r 1999/45/EC Annex V:					
Specific Provisions 76/769/EEC:	in Relati Not regu	on to Protection of Man or the Environment: lated					
(EC)2037/2000:	Not regu	lated					
(EC)304/2003:	Not regul						
Others:	None						

Page 6 of 7



#### MATERIAL SAFETY DATA SHEET

MSDS #: TC1321-0202 Product Code: 9287A / R84-6205

< USA Information >

Information on the Label under OSHA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

**Hazardous Component(s):** 

Not required

**SARA Title III §313:** 

Chemical Name Weight %

None

**California Proposition 65:** 

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

**Statement of Hazardous Nature:** Not classified as hazardous according to criteria of NOHSC.

#### SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product. Revised information from the previous version: Section 12

# Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Page 7 of 7



#### MATERIAL SAFETY DATA SHEET

MSDS #: TC1321-0202 Product Code: 9287A / R84-6205

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

WAF: Water Accommodated Fraction

LL: Lethal Loading rate EL: Effective Loading rate

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.