Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1214-0101 Product Code: 4237A / F42-3921

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon NPG-17 (Magenta) Toner

Product Code: 4237A / F42-3921

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic Name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	75-85	None/ None	Not established	Not established	Not established	Not established
Wax	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established
Pigment	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established

Reference

< Carcinogen > Chemical Name

CAS#
No component of this toner is listed as a human carcinogen or a potential

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Magenta fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion

Low acute toxicity based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

Page 2 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1214-0101 Product Code: 4237A / F42-3921

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1214-0101 Product Code: 4237A / F42-3921

		OLS / PERSONAL PROTECTION				
Exposure Guidelines						
	USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction)					
DFG (MAK):		alable fraction), 3 mg/m (Respirable fraction)				
(Also refer to SECTION 2)						
Engineering Control Use adequate vent						
Personal Protection	Equipment(s):					
Respiratory Prot	ection: Required Not Required	ired				
Eye/Face Protection: ☐ Required ☐ Not Requ						
		ired				
Skin Protection: Required						
	■ Not Requi	ired				
SECTION 9 P	HYSICAL AND CH	EMICAL PROPERTIES				
Appearance:		Magenta fine powder				
Odor:		Slight plastic odor				
pH:		Not applicable				
Boiling Point/Range(°C):		Not applicable				
Melting Point/Range(°C):		100 - 150 (Softening point)				
Decomposition Temperature (${}^{\circ}$ C):		> 200				
Flash Point(°C):		Not applicable				
Flammable (Explosive) Limits:		Not applicable				
Autoignition Temperature(°C):		Not available				
Flammability:		Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))				
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.				
Oxidizing Properties	:	Not available				
Vapor Pressure:		Not applicable				
Vapor Density:		Not applicable				
Density / Specific Gr	avity:	1.0 - 1.2				
Water Solubility:		Negligible				
Fat Solubility:		Partially soluble in toluene and xylene.				
Partition Coefficient (n-Octanol/Water):		Not applicable				
Percent Volatile:		Negligible				
Evaporation Rate:		Not applicable				
Viscosity (mPa s):		Not applicable				

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1214-0101 Product Code: 4237A / F42-3921

SECTION 10 STABILITY AND	REACTIVITY		
Stability:	Stable Unstable Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers CO, CO2		
Hazardous Decomposition Products:			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLOGICA	AL INFORMATION		
Acute Toxicity: Inhalation: Not available			
Ingestion: Rat, LD50 > 2000 mg/kg			
Eye: Rabbit, transient slight conjuncti	val irritation only.		
Skin: Rabbit, non-irritant			
Sensitization: Estimate: Guinea pig, skin: Non-	-sensitizing (See Section 16)		
Mutagenicity: Ames Test (S. typhimurium, E. o	coli): Negative		
Reproductive Toxicity: Not available			
Carcinogenicity: Not available			
0.4			

Others:

Chronic effects: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner.

No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure.

A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1214-0101 Product Code: 4237A / F42-3921

SECTION 12 E	COLOG	ICAL INFORMATION				
Mobility:		Not available				
Persistence / Degrad	ability:	Not available				
Bioaccumulation:		Not available				
Ecotoxicity:		Not available				
Other Adverse Effec	ets:	Not available				
SECTION 13 D	TCDOC A	L CONSIDERATION				
	ISPUSA	AL CONSIDERATION				
container, unless d	lust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner osion preventing measures are taken. Finely dispersed particles form explosive mixtures abject to federal, state and local laws.				
SECTION 14 T	RANSP	ORT INFORMATION				
UN #:	None					
UN Shipping Name:	None					
UN Classification:	None					
UN Packing Group:	None					
Marine Pollutant:	☐ Yes ⋈ No	Chemical name (wt%):				
Special Precautions:	None					
SECTION 15 R	REGULA	TORY INFORMATION				
< EU Information >						
Information on the Symbol & Indica		ot required				
R-Phrase: Not required						
S-Phrase: Not required						
Dangerous Com None	ponent(s):				
Special Precaution Not required	ons unde	r 1999/45/EC Annex V:				
Specific Provisions	in Relati	ion to Protection of Man or the Environment:				
76/769/EEC:	Not regu	lated				
(EC)2037/2000:	Not regu	lated				
(EC)304/2003:	Not regu	lated				
Others:	None					
< USA Information >	>					
Information on the	Label:					
Signal Word:	Not requ	nired				
Hazard warning Not required	:					

Page 6 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1214-0101 Product Code: 4237A / F42-3921

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Revised information from the previous version: Entirely revised

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

 $ACGIH\ TLV:\ TLV (Threshold\ Limit\ Value)\ under\ American\ Conference\ of\ Governmental\ Industrial\ Hygienists.$

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.