

SECTION 1

Product Name:

Product Code:

Address:

Company Name:

Product Code: 2795B **IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE** Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632 cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

Canon Inc.

SECTION 2 HAZARDS IDENTIFICATION **EU Classification:**

2795B

Not classified as dangerous.

Emergency Overview: Cyan fine powder, slight plastic odor.

COMPANY/UNDERTAKING

Canon NPG-47 Cyan Toner

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure: Not determined

COMPOSITION/INFORMATION ON INGREDIENTS SECTION 3

< Ingredient(s) >

Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Polyester resin	Confidential	80-90	None/ None	Not established	Not established	Not established	Not established
Pigment	Confidential	1-5	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20 mppcf, 80 (mg/m ³)/%SiO ₂	Not established	Not established	4 mg/m ³ (Inhalable fraction)

< Carcinogen >

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) 1272/2008.

< PBT substance and vPvB substance >

No component of this toner is a PBT or vPvB subtance under Regulation (EC) No 1907/2006.



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

USA OSHA PEL (TWA):	15 mg/m^3 (Total dust), 5 mg/m^3 (Respirable fraction)
ACGIH TLV (TWA):	10 mg/m ³ (Inhalable fraction), 3 mg/m ³ (Respirable fraction)
DFG MAK:	4 mg/m ³ (Inhalable fraction), 1.5 mg/m ³ (Respirable fraction)
(Also refer to SECTION 3)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Cyan fine powder
Slight plastic odor
Not applicable
Not applicable
85-120 (Softening point)
> 200
Not applicable
Not applicable
Not available
Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))
Can form explosive dust-air mixtures when finely dispersed in air.
Not available
Not applicable
Not applicable
1.0-1.5
Negligible
Partially soluble in toluene and xylene.
Not applicable
Negligible
Not applicable
Not applicable

			Page 4 of 7
Canon		MSDS #:	TN1836-0104
	MATERIAL SAFETY DATA SHEET	Product Code:	2795B
SECTION 10 STABILITY	AND REACTIVITY		
Stability:	⊠ Stable □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition Prod	ucts: CO, CO2		
Hazardous Polymerization:	☐ May Occur ⊠ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLO	GICAL INFORMATION		
Acute Toxicity: Inhalation: <u>Not available</u> Ingestion: Estimate: Rat. LD50 > 200	0 mg/kg (See SECTION 16)		
Eye:			
-	slight conjunctival irritation only. (See SECTION 16	5)	
Skin: Estimate: Rabbit, non-irrita	ant (See SECTION 16)		
Sensitization: Estimate: skin: Non-sensiti	zing (See SECTION 16)		
Mutagenicity: Ames Test (S. typhimurium	n, E. coli): Negative		
Reproductive Toxicity: Not available			
Carcinogenicity: Not available			
Others:			
respirable-sized particles construction is most relevant to potentia	onary response upon chronic inhalation exposure in a ompared to commercial toner. No pulmonary change l human exposure. A minimal to mild degree of fibro nild to moderate degree of fibrosis was observed in 9	was found at 1 osis was noted in	mg/m^3 which $a 22\%$ of the

mg/m^3 .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Canon	MATERIAL SAFETY DATA SHEET	MSDS #: Product Code:	Page 5 of 7 TN1836-0104 2795B
SECTION 12 ECO	LOGICAL INFORMATION		
Mobility:	Not available		
Persistence / Degradabi			
Bioaccumulation:	Not available		
Ecotoxicity:	Estimate: Fish, 96h LC50 > 100 mg/l, Estimate: Crustaceans, 48h EC50 > 100 mg/l, Estimate: Algae, ErC50(0-72h) > 100 mg/L (See SECT	ГІОN 16)	
Other Adverse Effects:	Not available		
SECTION 13 DISP	OSAL CONSIDERATIONS		
container, unless dust	toner container into fire; heated toner may cause severe burn explosion preventing measures are taken. Finely dispersed p sal should be subject to federal, state and local laws.		
SECTION 14 TRA	NSPORT INFORMATION		
UN #: <u>Nor</u>	ie		
UN Shipping Name: Not	ie		
UN Classification: Nor	ne		
UN Packing Group: Not	ne		
Marine Pollutant:	No		
Special Precautions:Nor SECTION 15 REG	ULATORY INFORMATION		
< EU Information >			
Information on the La	bel:		
Symbol & Indication	n: Not required		
R-Phrase:			
Not required S-Phrase:			
Not required			
Dangerous Compon Not required			
Special Precautions Not required	under 1999/45/EC Annex V:		
•	Relation to Protection of Man or the Environment: Annex XVII (Restrictions):		
	regulated		
(EC) No 2037/2000:			
Not	regulated		
(EC) No 689/2008:			
	regulated		
Others: <u>Nor</u>	e		

			Page 6 of 7 TN1836-0104
Canon		MSDS #:	
	MATERIAL SAFETY DATA SHEET	Product Code:	2795B
< USA Information >			
Information on the Label under	OSHA:		
Signal Word: Not required			
Hazard warning:			
Not required			
Safety Advice:			
Not required			
Hazardous Component(s):			
Not required			
SARA Title III §313:			
Chemical Name		Weight 9	/0
None			
California Proposition 65:			
Chemical Name		Weight	%
None			
< Canada Information >			
WHMIS Controlled Product:	Not applicable (Manufactured article)		
< Australia Information >			
Statement of Hazardous Nature	: Not classified as hazardous according to criteri	a of NOHSC.	

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Canon Materia

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.