

Product Code: 2792B **SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Product Name:** Canon NPG-48 Black Toner **Product Code:** 2792B Supplier: Canon Singapore Pte Ltd 1 HarbourFront Avenue, **Company Name:** Canon Inc. #04-01, Keppel Bay Tower, Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan Singapore 098632 Use of the Product: Toner for electrophotographic apparatus cspl_msds@canon.com.sg **SECTION 2** HAZARDS IDENTIFICATION **EU Classification:** Not classified as dangerous. Emergency Overview: Black fine powder, slight plastic odor. **Potential Health Effects and Symptoms:** Inhalation: Exposure to excessive amounts of dust may cause physical irritation to respiratory tract. **Ingestion:** Low acute toxicity. Ingestion is a minor route of entry for intended use of this product. Eye: May cause transient slight irritation. Skin: May be non-irritant. **Chronic Effects:** Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust. Medical Conditions Generally known to be Aggravated by Exposure: Not determined SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) > CAS #/ Weight EU Symbol/ USA ACGIH TLV EU ILV DFG MAK Chemical Name / EC# % **R-Phrase OSHA PEL** Generic Name Polyester resin Confidential 80-90 None/ None Not established Not established Not established Not established 1333-86-4/ None/ None 3.5 mg/m³ (TWA) Carbon black 3.5 mg/m^3 (TWA) Not established Not established 1-5

Not established

20 mppcf,

CAS#

1333-86-4

80 (mg/m³)/%SiO₂

Not established

Not established

Reference

IARC: Group 2B.

No 1272/2008: Not listed.

Not established

Not established

NTP; OSHA; Part 3 of Annex VI to Regulation (EC)

Not established

 4 mg/m^3

(Inhalable fraction)

< PBT substance and vPvB substance >	
No component of this toner is a PBT or vPvB subtance under Regulation (EC) No 1907/2006.	

215-609-9

Confidential

7631-86-9/

231-545-4

1-5

1 - 2

None/ None

None/ None

Pigment

Amorphous silica

< Carcinogen > **Chemical Name**

Carbon black (1-5%)



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

USA OSHA PEL (TWA):	15 mg/m^3 (Total dust), 5 mg/m^3 (Respirable fraction)
ACGIH TLV (TWA):	10 mg/m ³ (Inhalable fraction), 3 mg/m ³ (Respirable fraction)
DFG MAK:	4 mg/m ³ (Inhalable fraction), 1.5 mg/m ³ (Respirable fraction)
(Also refer to SECTION 3)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	Required
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Black fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Boiling Point/Range(°C):	Not applicable
Melting Point/Range(°C):	85-120 (Softening point)
Decomposition Temperature(°C):	>200
Flash Point(°C):	Not applicable
Flammable (Explosive) Limits:	Not applicable
Autoignition Temperature(°C):	Not available
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Density / Specific Gravity:	1.0-1.5
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
Partition Coefficient (n-Octanol/Water):	Not applicable
Percent Volatile:	Negligible
Evaporation Rate:	Not applicable
Viscosity (mPa s):	Not applicable

Canon	MATERIAL SAFETY DATA SHEET	MSDS #: Product Code:	Page 4 of 7 TN1845-0105 2792B
SECTION 10 STABILITY	AND REACTIVITY		
Stability:	⊠ Stable □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition Produ	icts: CO, CO2		
Hazardous Polymerization:	☐ May Occur ⊠ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLOG	GICAL INFORMATION		
Acute Toxicity: Inhalation: Not available			
Ingestion: Estimate: Rat, LD50 > 2000) mg/kg (See SECTION 16)		
Eye: Estimate: Rabbit, transient s	slight conjunctival irritation only. (See SECTION 16	5)	
Skin: Estimate: Rabbit, non-irrita	nt (See SECTION 16)		
Sensitization: Estimate: skin: Non-sensitiz	zing (See SECTION 16)		
Mutagenicity: Ames Test (S. typhimurium	, E. coli): Negative		
Reproductive Toxicity: Not available			
but sufficient animal evider chronic inhalation exposure However, there is a two-yea	a black as a Group 2B carcinogen, for which there is acc. The latter is based upon the development of lung to powdered carbon black at levels that induce part ar inhalation study of a toner containing carbon black xposure and tumor development in rats.	g tumors in rats i icle overload of	receiving the lung.

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Canon		MSDS #:	Page 5 of 7 TN1845-0105
cunon	MATERIAL SAFETY DATA SHEET	Product Code:	2792B
SECTION 12 ECOLO	GICAL INFORMATION		
Mobility:	Not available		
Persistence / Degradability	: Not available		
Bioaccumulation:	Not available		
Ecotoxicity:	Estimate: Fish, 96h LC50 > 100 mg/l, Estimate: Crustaceans, 48h EC50 > 100 mg/l, Estimate: Algae, ErC50(0-72h) > 100 mg/L (See SECT	FION 16)	
Other Adverse Effects:	Not available		
SECTION 13 DISPOS	SAL CONSIDERATIONS		
container, unless dust-ex	her container into fire; heated toner may cause severe burn plosion preventing measures are taken. Finely dispersed p should be subject to federal, state and local laws.		
SECTION 14 TRANS	PORT INFORMATION		
UN #: None			
UN Shipping Name: None			
UN Classification: None			
UN Packing Group: None			
Marine Pollutant: \Box Ye \boxtimes No	s Chemical name (wt%):		
Special Precautions:None			
	ATORY INFORMATION		
< EU Information >			
Information on the Label Symbol & Indication:			
R-Phrase:	(or required		
Not required			
S-Phrase:			
Not required			
Dangerous Componen Not required	(s):		
Special Precautions un Not required	der 1999/45/EC Annex V:		
Specific Provisions in Rel	ation to Protection of Man or the Environment:		
	nex XVII (Restrictions):		
Not re	gulated		
(EC) No 2037/2000:			
Not re	gulated		
(EC) No 689/2008:			
Not re	gulated		
Others: None			

•			Page 6 of 7
Canon		MSDS #:	TN1845-0105
	MATERIAL SAFETY DATA SHEET	Product Code:	2792B
< USA Information >			
Information on the Label under	OSHA:		
Signal Word: Not required			
Hazard warning:			
Not required			
Safety Advice:			
Not required			
Hazardous Component(s):			
Not required			
SARA Title III §313:			
Chemical Name		Weight ^o	%
None			
California Proposition 65:			
Chemical Name		Weight	%
None			
< Canada Information >		-	
WHMIS Controlled Product:	Not applicable (Manufactured article)		
< Australia Information >			
Statement of Hazardous Nature	: Not classified as hazardous according to criteri	a of NOHSC.	

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Canon

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.