

Safety Data Sheet

SDS #: TCW 1131 N - 01 GL EN Issuing date: 29-Nov-2018

Revision date: -Version: 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Canon NPG-67 Toner Cyan **Product name**

Product Code(s) 8525B001

Use Toner for electrophotographic machines

Details of the supplier of the safety data sheet

Supplier

Canon Australia Pty Ltd

Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia

Email: gse@canon.com.au Phone number: (61) 2-9805-2000

Emergency phone number: 13 11 26 (Within Australia)

Canon New Zealand Limited

28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand

Email: qse@canon.com.au

Phone number: 0800 222 666 (Within New Zealand)

Emergency phone number: 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.

1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522

Email: cspl_msds@canon.com.sg Phone number: (65) 6799-8888

Canon India Pvt. Ltd.

7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India

Phone number: (91) 124-416-0000

Emergency phone number: (91) 124-416-0180

Canon (China) Co. Ltd

2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Canon Korea Business Solutions INC. 607 Teheran-ro, Gangnam-gu, Korea Email: webmaster@canon-bs.co.kr

Phone number: (82) 1588-2500

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

GL EN Page 1/7 Issuing date: 29-Nov-2018

Revision date: - Sanon NPG-67 Toner Cyan

Hazard pictograms

Not required

Signal word Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

None

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Polyester resin	CBI	CBI	80 - 90	None	
Wax	CBI	CBI	1 - 6	None	
Pigment	CBI	CBI	1 - 5	None	
Amorphous silica	7631-86-9	231-545-4	1 - 3	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

Most important symptoms and effects, both acute and delayed

Inhalation None under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

Ingestion None under normal use.

Skin Contact None under normal use.

GL EN Page 2/7

Issuing date: 29-Nov-2018

Revision date: - Scanon NPG-67 Toner Cyan

Eye Contact None under normal use. May cause slight irritation.

Chronic Effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung

damage.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special Hazard

May form explosive mixtures with air.

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

GL EN Page 3/7

Issuing date: 29-Nov-2018

Revision date: - S25B001

Canon NPG-67 Toner Cyan

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Amorphous silica	None	TWA: 2 mg/m³ respirable	TWA: 20 mppcf	None
7631-86-9		dust	: (80)/(% SiO2) mg/m ³ TWA	

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face Protection Skin Protection Respiratory ProtectionNot required under normal use.

Not required under normal use.

Not required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

AppearanceCyan ; powderOdorSlight odorOdor thresholdNo data available

pH Not Applicable
Melting/Freezing point (°C) 85 - 120 (Softening point)

Boiling Point/Range (°C)Not ApplicableFlash Point (°C)Not ApplicableEvaporation RateNot Applicable

Flammability (solid, gas)

Not flammable; estimated

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor pressure
Vapor density
Relative density

Not Applicable
Not Applicable
Not Applicable
1.0 - 1.5

Solubility(ies) Organic solvent; partly soluble

Partition coefficient: n-octanol/water

Autoignition Temperature (°C)

Not Applicable
No data available

Decomposition Temperature (°C) > 200

Viscosity (mPa s) Not Applicable

Explosive properties May form explosive mixtures with air

Oxidizing properties No data available

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

GL EN Page 4/7

Issuing date: 29-Nov-2018

Revision date: - Sanon NPG-67 Toner Cyan

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO)

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity Estimate: LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Estimate: Non-irritant

Serious eye damage/eye irritation Estimate: Transient slight conjunctival irritation only.

Sensitization Estimate: Non-sensitizing

Germ cell mutagenicity Ames Test (S. typhimurium, E. coli): Negative

CarcinogenicityNo data availableReproductive ToxicityNo data availableSTOT - single exposureNo data available

STOT - repeated exposure Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

Other Information No data available

SECTION 12: Ecological information

Toxicity

GL EN Page 5/7

Issuing date: 29-Nov-2018

Revision date: - Canon NPG-67 Toner Cyan

Ecotoxicity effects

Estimate: Fish, 96h LC50 > 100 mg/l

Estimate: Crustaceans, 48h EC50 > 100 mg/l Estimate: Algae, ErC50(0-72h) > 100 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information

UN number None

UN Proper Shipping Name None

Transport Hazard Class None

Packing Group None

Environmental Hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

Special Precautions for users IATA: Not regulated

Transport in bulk according to Annex II of

MARPOL and the IBC Code

Not Applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation (EC) No 1907/2006 Restriction Not regulated Not regulated (EC) No 1005/2009 Not regulated (EC) No 850/2004 Not regulated

GL EN Page 6/7

Issuing date: 29-Nov-2018 8525B001
Revision date: - Canon NPG-67 Toner Cyan

(EU) No 649/2012 Not regulated

Australia Information Not classified as hazardous according to criteria of Work Health and Safety Regulations

2011.

Other Information None

SECTION 16: Other information

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC and (EU) 2017/2398, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 29-Nov-2018

Revision date : -

Revision Note None

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

GL EN Page 7/7