

MATERIAL SAFETY DATA SHEET

	DENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
Product Name:	Canon NPG-9 Black Toner for NP Copier
Product Code:	1379A / F42-0701
Manufacturer:	Canon Inc.
	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan
Supplier:	Canon Singapore Pte Ltd
	1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632
	cspl_msds@canon.com.sg
Use of the Product:	Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20mppcf, 80(mg/m ³)/%SiO ₂	10mg/m ³ (TWA)	Not established	4mg/m ³ (Inhalable fraction)

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.



IVIA	IERIAL SAFETT DATA SILLET Product Code: 13/9A/F42-0/0.
SECTION 8 EXPOSURE CONT	ROLS / PERSONAL PROTECTION
Exposure Guidelines:	
ACGIH TLV (TWA): 10 mg/m ³ (Total dust), 5 mg/m ³ (Respirable fraction) Inhalable fraction), 3 mg/m ³ (Respirable fraction) Inhalable fraction), 1.5 mg/m ³ (Respirable fraction)
Engineering Controls: Use adequate ventilation.	
Personal Protection Equipment(s):	
Respiratory Protection: 🗌 Required 🔀 Not Req	
Eye/Face Protection: Required Not Req	
Skin Protection: Required Not Req	
SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES
Appearance:	Black fine powder
Odor:	Slight plastic odor
рН:	Not applicable
Boiling Point/Range(°C):	Not applicable
Melting Point/Range(°C):	100 - 150 (Softening point)
Decomposition Temperature(°C):	>200
Flash Point(°C):	Not applicable
Flammable (Explosive) Limits:	Not applicable
Autoignition Temperature(°C):	Not available
Flammability:	Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Density / Specific Gravity:	1.4-1.6

Negligible

Negligible

Not applicable

Not applicable

Partially soluble in toluene and xylene.

Partition Coefficient (n-Octanol/Water): Not applicable

Water Solubility:

Percent Volatile:

Evaporation Rate:

Viscosity (mPa s):

Fat Solubility:



MATERIAL SAFETY DATA SHEET

SECTION 10 STABILITY AND	REACTIVITY
Stability:	X Stable □ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Strong oxidizers
Hazardous Decomposition Products:	<u>CO, CO2</u>
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur
Conditions to Avoid:	None
SECTION 11 TOXICOLOGICA	AL INFORMATION
Acute Toxicity: Inhalation: Not available	
Ingestion: Estimate:Rat, LD50 > 5000mg/k	ζg
Eye: Estimate:Rabbit, transient slight	conjunctival irritation only.
Skin: Estimate:Rabbit, non-irritant	
Sensitization: Estimate:Guinea pig, skin : Non	-sensitizing
Mutagenicity: Ames Test (S. typhimurium) : N	egative
Reproductive Toxicity: Not available	
Carcinogenicity: Not available	
Others:	

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.



SECTION 12 ECOLOGICAL INFORMATION

Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effects:	Not available
·	

SECTION 13 DISPOSAL CONSIDERATION

Method of Disposal:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state or local laws.

SECTION 14	TRANSPORT INFORMATION		
UN #:	None		
UN Shipping Name	None		
UN Classification:	None		
UN Packing Group	None		
Marine Pollutant:	☐ Yes Chemical name (wt%): X No		
Special Precautions	None		
	REGULATORY INFORMATION		
< EU Information >			
Information on the Symbol & Indic	ation: Not required		
R-Phrase: Not required			
S-Phrase: Not required	S-Phrase:		
Dangerous Com None	aponent(s):		
Special Precauti Not required	ons under 1999/45/EC Annex V:		
Specific Provisions	s in Relation to Protection of Man or the Environment:		
76/769/EEC:	Not regulated		
(EC)2037/2000:	Not regulated		
(EEC)2455/92:	Not regulated		
Others:	None		
< USA Information	>		
Information on the	e Label:		
Signal Word:	Not required		
Hazard warning Not required	g:		



Safety Advice: Not required		
Hazardous Component(s): None		
SARA Title III §313:		
Chemical Name		Weight %
None		
California Proposition 65: Chemical Name		Weight %
None		
< Canada Information >		
WHMIS Controlled Product:	Not a controlled product	
< Australia Information >	r	
Statement of Hazardous Nature:	Not classified as hazardous according to criteria	of NOHSC.
SECTION 16 OTHER INFOR	MATION	
Revised information from the prev Entirely revised	ious version:	
 U.S. Department of Health and Human Ser World Health Organization International Age Chemicals to Humans DFG, List of MAK and BAT Values EU Directive 76/769/EEC, 67/548/EEC, 19 EU Regulation (EC)2037/2000, (EEC)2455 Canada Workplace Hazardous Materials Im Australia National Occupational Health and Abbreviations: "EU" stands for European Union. "OSHA PEL" stands for PEL(Permissible E: "ACGIH TLV" stands for TLV(Threshold L "EU ILV" stands for Indicative Limit Values "DFG MAK" stands for MAK(Maximale Ar "TWA" stands for Time Weighted Average. "IARC" stands for International Agency for "NTP" stands for Federal Hazardous Subst "WHMIS" stands for Federal Hazardous Subst "WHMIS" stands for National Occupational The information, data and recommendations the date hereof. The company/manufacture responsibility for any reliance thereon. The determination as to its suitability for their accordance with applicable Federal, state a damages of any nature whatsoever resulting NO REPRESENTATIONS OR WARRAN 	CFR Part 372 n, 16CFR Part 1500 ical Substances and Physical Agents and Biological Exposure I vices National Toxicology Program, Annual Report on Carcino gency for Research on Cancer, IARC Monographs on the Evalu 999/45/EC 5/92 formation System 1 Safety Commission's Approved Criteria for Classifying Haza xposure Limit) under Occupational Safety and Health Adminis imit Value) under American Conference of Governmental Indu s for Occupational Exposure under EU Directive 91/322/EEC a beitsplatzkonzentrationen) under Deutsche Forschungsgemein Research on Cancer. 'am (USA). 'y and Health Act, Hazard Communication Standard(USA). iances Act(USA). Materials Information System. Health and Safety Commission Act 1985.	bigens uation on the Carcinogenic Risk of ardous Substances[NOHSC:1008] stration(USA). Istrial Hygienists. Ind 2000/39/EC. Ischaft. h and are believed to be correct as of cy of the Information and disclaims receiving same will make their own the determined by the user to be in any/manufacturer be responsible for ANTABILITY, FITNESS FOR A