

# **Safety Data Sheet**

SDS #: TCW 0808 R - 01 GL EN Issuing date: 24-Jul-2009 Revision date: 20-Aug-2015

Version: 03

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Canon NPG-46 Black Toner **Product name** 

2790B001 Product Code(s)

Toner for electrophotographic machines Use

Details of the supplier of the safety data sheet

**Supplier** 

Canon Australia Pty Ltd

Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia

Email: qse@canon.com.au Phone number: (61) 2-9805-2000

Emergency phone number: 13 11 26 (Within Australia)

Canon New Zealand Limited

28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand

Email: qse@canon.com.au

Phone number: 0800 222 666 (Within New Zealand)

Emergency phone number: 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue, #04-01 Keppel Bay Tower, Singapore 098632

Phone number: (65) 6799-8888

Canon India Pvt. Ltd.

7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India

Phone number: (91) 124-416-0000

Emergency phone number: (91) 124-416-0180

Canon (China) Co. Ltd

2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

# **SECTION 2: Hazards identification**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

Not required

Issuing date: 24-Jul-2009

Revision date: 20-Aug-2015

Canon NPG-46 Black Toner

#### **Hazard pictograms**

Not required

# Signal word

Not required

#### **Hazard statements**

Not required

### Precautionary Statements - EU (§28, 1272/2008)

Not required

#### Other Information

None

#### Other hazards which do not result in classification

None

# **SECTION 3: Composition/information on ingredients**

#### Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (67/548)	Indication of danger	Classification (Reg. 1272/2008)
Polyester resin	CBI	CBI	80 - 90	None	None	None
Carbon black	1333-86-4	215-609-9	1 - 5	None	None	None
Pigment	CBI	CBI	1 - 5	None	None	None
Amorphous silica	7631-86-9	231-545-4	1 - 3	None	None	None
Titanium dioxide	13463-67-7	236-675-5	< 1	None	None	None

# **SECTION 4: First aid measures**

# Description of first aid measures

**Inhalation** Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

# Most important symptoms and effects, both acute and delayed

Inhalation None under normal use. Exposure to excessive amounts of dust may cause physical

irritation to respiratory tract.

**Ingestion** None under normal use.

**Skin Contact** None under normal use.

**Eye Contact** None under normal use. May cause slight irritation.

Chronic Effects None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung

damage.

GL EN Page 2/7

Issuing date: 24-Jul-2009

Revision date: 20-Aug-2015

Canon NPG-46 Black Toner

# Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

# Extinguishing media

### Suitable extinguishing media

Use CO2, dry chemical, or foam, Water.

#### Unsuitable extinguishing media

None

#### Special hazards arising from the substance or mixture

### **Special Hazard**

May form explosive mixtures with air.

#### **Hazardous combustion products**

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

### Advice for firefighters

# Special protective equipment for fire-fighters

None

## **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

#### **Environmental Precautions**

Keep out of waterways.

#### Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

#### Other Information

None

# **SECTION 7: Handling and storage**

#### Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

### Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

#### Specific end uses

GL EN Page 3/7

Issuing date: 24-Jul-2009 2790B001 Revision date: 20-Aug-2015 Canon NPG-46 Black Toner

Toner for electrophotographic machines. Obtain special instructions before use.

## **SECTION 8: Exposure controls/personal protection**

#### Control parameters

#### **Exposure Limits**

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Carbon black 1333-86-4	None	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m³ inhalable fraction
Amorphous silica 7631-86-9	None	TWA: 2 mg/m³ respirable dust	TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	None
Titanium dioxide 13463-67-7	None	TWA: 10 mg/m³ inhalable dust	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

**Eye/face Protection** Not required under normal use. **Skin Protection** Not required under normal use. **Respiratory Protection** Not required under normal use.

Thermal hazards Not Applicable

# **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Black; powder **Appearance** Odor Slight odor **Odor threshold** No data available

Not Applicable 85-120 (Softening point) Melting/Freezing point (°C)

**Boiling Point/Range (°C)** Not Applicable Not Applicable Flash Point (°C) Not Applicable **Evaporation Rate** 

Flammability (solid, gas) Not flammable; estimated

Flammability Limits in Air

**Upper Flammability Limit** Not Applicable **Lower Flammability Limit** Not Applicable Not Applicable Vapor pressure **Vapor Density** Not Applicable Relative density 1.0-1.5

Solubility(ies) Organic solvent; partly soluble

Partition coefficient: n-octanol/water Not Applicable **Autoignition Temperature (°C)** No data available

**Decomposition Temperature (°C)** > 200

Viscosity (mPa s) Not Applicable

**Explosive properties** May form explosive mixtures with air

No data available **Oxidizing properties** 

### Other Information

No data available

# **SECTION 10: Stability and reactivity**

#### Reactivity

GL EN Page 4/7

Issuing date: 24-Jul-2009 2790B001
Revision date: 20-Aug-2015 Canon NPG-46 Black Toner

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

**Hazardous Decomposition Products** 

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

Acute toxicity Estimate: LD50 > 2000 mg/kg (Ingestion)

**Skin corrosion/irritation** Estimate: Non-irritant

Sensitization Estimate: Non-sensitizing

Germ cell mutagenicity Ames Test (S. typhimurium, E. coli): Negative

Carcinogenicity The IARC evaluated carbon black and titanium dioxide as Group 2B carcinogens, for which

there are inadequate human evidences, but sufficient animal evidences. The latter are based upon the evidences such as development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black and titanium dioxide at levels that induce

particle overload of the lung.

However, there are inhalation studies of a toner containing carbon black and a toner containing titanium dioxide which demonstrated or suggested no association between toner

exposure and tumor development in rats.

Reproductive Toxicity No data available

STOT - single exposure No data available

**STOT - repeated exposure** Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a

toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive

amounts of any dust retained in the lung for a prolonged interval.

Aspiration hazard No data available

GL EN Page 5/7

Issuing date: 24-Jul-2009

Revision date: 20-Aug-2015

Canon NPG-46 Black Toner

Other Information No data available

# **SECTION 12: Ecological information**

#### **Toxicity**

**Ecotoxicity effects** 

Estimate: Fish, 96h LC50 > 100 mg/l Estimate: Crustaceans, 48h EC50 > 100 mg/l Estimate: Algae, ErC50(0-72h) > 100 mg/l

## Persistence and degradability

No data available

#### Bioaccumulative potential

No data available

## Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

# Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

# **SECTION 14: Transport information**

UN number None

UN Proper Shipping Name None

<u>Transport Hazard Class</u> None

Packing Group None

**Environmental Hazards** No special environmental precautions required.

Special Precautions for users None

Transport in bulk according to Annex II of Not.

MARPOL 73/78 and the IBC Code

Not Applicable

# **SECTION 15: Regulatory information**

GL EN Page 6/7

Issuing date: 24-Jul-2009 2790B001
Revision date: 20-Aug-2015 Canon NPG-46 Black Toner

### Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation
(EC) No 1907/2006 Restriction
(EC) No 1005/2009
(EC) No 850/2004
(EU) No 649/2012

Not regulated
Not regulated
Not regulated
Not regulated

Australia Information Not classified as hazardous according to criteria of NOHSC:1008.

Not classified as hazardous according to criteria of Work Health and Safety Regulations

2011.

Other Information None

# **SECTION 16: Other information**

# Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

#### Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- IARC: International Agency for Research on Cancer
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- CBI: Confidential Business Information

Issuing date: 24-Jul-2009

Revision date: 20-Aug-2015

Revision Note Entirely revised

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

GL EN Page 7/7